

---

# Respiratory Watch

**REPORTING PERIOD:  
MARCH 31 TO APRIL 6, 2024  
(WEEK 14)**

## **SUMMARY<sup>1,2,3</sup>**

Influenza activity remained relatively stable in week 14. Three thousand three hundred and eighty-nine influenza cases have been reported this season; 106 new cases were reported in week 14. COVID-19 activity remains moderate; some indicators (number of cases, percent positivity, and hospitalizations) decreased slightly during the current reporting period.

### **COVID-19**

- There were 25 confirmed COVID-19 cases reported in week 14. Percent positivity decreased in week 14 (3%).
- There were 11 hospitalizations with 2 ICU admissions during week 14.
- One death was reported in week 14.
- A total of 4 lab-confirmed outbreaks were declared (3 in Nursing Homes and 1 in other facilities).

### **INFLUENZA**

- One hundred and six influenza cases were reported in week 14, 11 were influenza A (unsubtyped) and 95 were influenza B. Percent positivity decreased in week 14 (10%).
- There were 8 hospitalizations and 2 ICU admissions reported during week 14.
- No deaths were reported for week 14.
- The ILI consultation rate was 68.2 per 1,000 persons for week 14.
- One new ILI school outbreak and 1 lab-confirmed influenza outbreak (in a Nursing Home) were reported in week 14.

---

<sup>1</sup> Numbers in this report are subject to change due to reporting delays. Missed events will be captured in subsequent reports as data become available.

<sup>2</sup> Refer to Appendix for case definitions.

<sup>3</sup> For this report, respiratory viruses include COVID-19 and influenza.

## INDICATORS

Table 1: Summary of indicators by report week, August 27 to April 6, 2024


Report Week	COVID-19					Influenza				
	Percent Positivity %	Hospitalizations	ICU	Deaths	Outbreaks	Percent Positivity %	Hospitalizations	ICU	Deaths	Outbreaks
Week 14	3	11	2	1	4	10	8	2	0	1
Respiratory season total	10	1448	94	92	352	11	534	50	26	47

Notes:

- Hospitalizations and admissions to ICU reported based on admission date or if patient is hospitalized prior to confirmed test result, the test result date is used.
- Deaths reported based on the date of death.
- Outbreaks category includes lab-confirmed outbreaks, which are reported based on the date that the outbreak was declared.

## LABORATORY DATA

Figure 1: Number of confirmed cases by disease and report week, August 27 to April 6, 2024 (Source: New Brunswick Regional Hospitals)



Notes:

- Laboratory confirmed cases are reported for the week when the laboratory confirmation was received.
- Historical influenza excludes pandemic season 2020-21.
- Historical COVID-19 only includes season 2022-23 due to the changing testing strategies that occurred in years prior.

Figure 2: Number of tests conducted and percent positivity for influenza by report week, August 27 to April 6, 2024 (Source: New Brunswick Regional Hospitals)





Figure 3: Number of tests conducted and percent positivity for COVID-19 by report week, August 27 to April 6, 2024 (Source: New Brunswick Regional Hospitals)



Notes:

- Laboratory confirmed cases are reported for the week when the laboratory confirmation was received.
- Laboratory tests are reported for the week when the specimen was collected.
- Historical influenza excludes pandemic season 2020-21.
- Historical COVID-19 only includes season 2022-23 due to the changing testing strategies that occurred in years prior.


Table 2: Confirmed cases and percent positivity by region and disease, August 27 to April 6, 2024 (Source: New Brunswick Regional Hospitals)

Region	COVID-19		Influenza	
	Cases	Percent positivity %	Cases	Percent positivity %
1	1059 (9)	10 (3)	1017 (45)	12 (15)
2	778 (2)	13 (1)	563 (23)	10 (12)
3	657 (1)	8 (2)	613 (14)	8 (5)
4	216 (1)	9 (1)	274 (8)	12 (14)
5	135 (0)	12 (0)	157 (2)	15 (7)
6	354 (1)	11 (1)	523 (4)	19 (4)
7	295 (11)	12 (13)	242 (10)	12 (14)
<b>Respiratory season total</b>	3494 (25)	10 (3)	3389 (106)	11 (10)

Notes:

- Region assigned from laboratory data based on address of the case.
- Number in brackets refers to the count for the current reporting period.

Figure 4: Confirmed cases by age group and disease, August 27 to April 6, 2024 (Source: New Brunswick Regional Hospitals)




Notes:

- Age group is determined by age associated with confirmed test result.

## HOSPITALIZATION AND DEATH DATA


Figure 5: Number of COVID-19 and influenza hospitalizations by week of admission, August 27 to April 6, 2024 (Source: Horizon Health Network and Réseau de Santé Vitalité)



### Notes

- Hospitalizations includes non-ICU and ICU admissions.
- Hospitalizations based on admission date or if patient is hospitalized prior to confirmed test result, the test result date is used.
- Historical influenza excludes pandemic 2020-21 season.
- Historical COVID-19 only includes season 2022-23 due to the changing testing strategies that occurred in years prior.
- Historical COVID-19 only includes hospitalizations for COVID-19, as per the reason for admission.

Figure 6: Rate per 100,000 COVID-19 and influenza hospitalizations and deaths by age group, August 27 to April 6, 2024  
 (Source: Horizon Health Network and Réseau de Santé Vitalité)



Notes:

- Hospitalizations includes non-ICU and ICU admissions.
- Age group is determined by age associated with confirmed test result.
- Population estimates from Statistics Canada 2022 Census of Population.




Table 3: Number of COVID-19 and influenza hospitalizations by age group, August 27 to April 6, 2024 (Source: Horizon Health Network and Réseau de Santé Vitalité)

Age group	COVID-19			Influenza		
	Hospitalizations	ICU	Death	Hospitalizations	ICU	Death
<b>0-4</b>	20 (0)	0 (0)	0 (0)	28 (0)	0 (0)	2 (0)
<b>5-19</b>	7 (0)	0 (0)	0 (0)	40 (2)	2 (0)	0 (0)
<b>20-44</b>	77 (2)	6 (0)	1 (0)	49 (2)	6 (2)	0 (0)
<b>45-64</b>	209 (1)	22 (0)	6 (1)	94 (2)	12 (0)	2 (0)
<b>65+</b>	1135 (8)	66 (2)	85 (0)	323 (2)	30 (0)	22 (0)
<b>Total</b>	1448 (11)	94 (2)	92 (1)	534 (8)	50 (2)	26 (0)

Notes:

- Hospitalizations includes non-ICU and ICU admissions.
- Age group is determined by age associated with confirmed test result.
- ICU status noted at time of admission.
- Number in brackets refers to the count for the current reporting period.

Figure 7: Number of COVID-19 and influenza deaths by date of death, August 27 to April 6, 2024 (Source: Horizon Health Network and Réseau de Santé Vitalité)




Notes:

- Deaths reported based on the date of death.

## OUTBREAKS


Figure 8: Number of lab-confirmed outbreaks by disease and report week (date of declaration), August 27 to April 6, 2024 (Source: CNPHI)



### Notes

- Outbreaks are reported based on their date of declaration.
- Historical influenza excludes pandemic 2020-21 season.
- Other includes lab-confirmed outbreaks outside nursing home.
- The types and numbers of facilities that report lab-confirmed outbreaks may differ each season.

Figure 9: Number of ILI school outbreaks received, August 27 to April 6, 2024 (Source: CNPHI)




### Notes

- School outbreaks based on 10% absenteeism in school due to ILI symptoms.
- Historical ILI excludes pandemic 2020-21 season.

## SENTINEL SURVEILLANCE

Figure 10: ILI consultation rates by report week, August 27 to April 6, 2024 (NB SPRN sites)



Notes:

- Sentinel sites are to report on the number of ILI patients and total patient consultations one day during a reporting week.
- Historical ILI consultation rates exclude the pandemic season 2020-21.
- ILI consultation rates should be interpreted with caution because the low number of sentinel sites reporting can lead to major fluctuations in the consultation rates.

## **NATIONAL AND INTERNATIONAL ACTIVITY**

For current national influenza activity, please refer to the National FluWatch Report at: <http://www.phac-aspc.gc.ca/fluwatch/>.

For current national COVID activity, please refer to the COVID-19 epidemiology update at: [COVID-19 epidemiology update: Summary — Canada.ca](#).

### **Influenza:**

WHO, Global Influenza Program: <https://www.who.int/teams/global-influenza-programme/surveillance-and-monitoring/influenza-updates/current-influenza-update>

Europe, influenza update: <https://www.ecdc.europa.eu/en/seasonal-influenza/surveillance-reports-and-disease-data>

PAHO, influenza activity: <https://www.paho.org/en/influenza-situation-report>

United States, influenza update: [www.cdc.gov/flu/weekly/](http://www.cdc.gov/flu/weekly/)

Australia, influenza update: <https://www.health.gov.au/our-work/influenza-surveillance-program>

### **COVID-19:**

WHO, COVID-19: <https://www.who.int/emergencies/diseases/novel-coronavirus-2019>

Europe, COVID-19 update: <https://www.ecdc.europa.eu/en/covid-19/situation-updates>

PAHO, COVID activity: <https://www.paho.org/en/topics/coronavirus-infections/coronavirus-disease-covid-19-pandemic>

United States, COVID data tracker: <https://covid.cdc.gov/covid-data-tracker/#datatracker-home>

Australia, COVID update: <https://www.health.gov.au/health-alerts/covid-19/case-numbers-and-statistics?language=en>

### **Human Emerging Respiratory Pathogens:**

COVID, Novel Influenza, MERS-CoV: <https://www.canada.ca/en/public-health/services/surveillance/human-emerging-respiratory-pathogens-bulletin.html>

MERS-CoV: [WHO EMRO](#) | [MERS outbreaks](#) | [MERS-CoV](#) | [Health topics](#)

## Appendix A: Case definitions

**COVID-19 case:** The detection of at least one specific gene target by a validated laboratory based NAAT assay performed at a recognized laboratory OR a validated point-of-care NAAT that has been deemed acceptable to provide a final result by the Government of New Brunswick OR a four-fold or greater seroconversion/diagnostic rise in viral specific antibody titre in serum or plasma using a validated laboratory-based serological-based serological assay for SARS-CoV-2.

**Influenza case:** Clinical illness with laboratory confirmation of infection: isolation of influenza virus from an appropriate clinical specimen (NP, throat/Nose) or demonstration of influenza virus antigen in an appropriate clinical specimen or significant rise (e.g. fourfold or greater) in influenza IgG titre between acute and convalescent sera or detection of influenza RNA.

**Influenza-like illness (ILI):** Acute onset of respiratory illness with fever and cough and with one or more of the following - sore throat, arthralgia, myalgia, or prostration which is likely due to influenza. In children under 5, gastrointestinal symptoms may also be present. In patients under 5 or 65 and older, fever may not be prominent.

**Deceased case:** A confirmed case who was admitted to hospital and whose death occurred during their stay. A death due to COVID-19 or influenza does not mean that it was necessarily the primary or contributing factor to the cause of death.

**Hospitalization:** Admission to hospital with a laboratory confirmation of a respiratory disease within 14 days prior to or upon admission OR a laboratory confirmation of a respiratory disease during their stay.

**ICU admission:** Admission to ICU with a laboratory confirmation of a respiratory disease within 14 days prior to or upon admission OR a laboratory confirmation of a respiratory disease during their stay.

**COVID-19 outbreak:** An outbreak in a vulnerable setting may be declared by the MOH, typically when there are two or more positive cases among residents or staff with an epidemiological link within 10 days.

**Influenza outbreak:** An outbreak in a vulnerable setting may be declared by the MOH, typically when there are two or more positive cases among residents or staff with an epidemiological link within 7 days.

## Appendix B: Data sources

### Admission discharge transfer database

- Data are extracted weekly.
- Data shown in this report represent available data at the time of extraction.
- Missed events will be captured in subsequent reports as data become available.
- Data includes patients with a positive laboratory result and a health card number.

### Provincial Public Health Laboratory Information System

- Data are extracted weekly.
- Data shown in this report represent available data at the time of extraction.
- Missed events will be captured in subsequent reports as data become available.

Appendix C: Breakdown of influenza cases by strain and age group.

Figure 11: Influenza cases by report week and strain, August 27 to April 6, 2024




Table 4: Influenza hospitalizations by strain and age group, August 27 to April 6, 2024

Age Group	Influenza A				Influenza B	Co-infection
	A(H3)	A(H1N1)pdm09	Unsubtyped/other	A Total	B Total	A & B Total
0-4	0	10	13	23	5	0
5-19	1	12	9	22	18	0
20-64	1	58	71	130	13	0
65+	6	127	185	318	5	0
Total	8	207	278	493	41	0