



# Air Quality Test Results

ANGLOPHONE WEST SCHOOL DISTRICT | 2021

# Table of Contents

**ASSINIBOINE AVENUE ELEMENTARY SCHOOL.....3**

**BATH COMMUNITY SCHOOL .....9**

**BRISTOL ELEMENTARY SCHOOL ..... 15**

**BURTON ELEMENTARY SCHOOL ..... 18**

**CHIPMAN ELEMENTARY SCHOOL ..... 21**

**CONNAUGHT STREET SCHOOL .....28**

**DONAL FRASER MEMORIAL SCHOOL .....32**

**FLORENCEVILLE ELEMENTARY SCHOOL.....39**

**FLORENCEVILLE MIDDLE SCHOOL .....45**

**FOREST HILL ELEMENTARY SCHOOL ..... 61**

**GAGETOWN SCHOOL .....65**

**GARDEN CREEK SCHOOL.....68**

**GEORGE STREET MIDDLE SCHOOL .....74**

**GESNER STREET ELEMENTARY SCHOOL.....83**

**HAROLD PETERSON MIDDLE SCHOOL .....89**

**HARVEY ELEMENTARY SCHOOL .....98**

**KESWICK RIDGE SCHOOL ..... 104**

**KINGSCLEAR CONSOLIDATED SCHOOL .....111**

**MCADAM AVENUE SCHOOL..... 118**

**MONTGOMERY STREET SCHOOL ..... 122**

**NACKAWIC SENIOR HIGH SCHOOL ..... 126**

**NASHWAAKSIS MEMORIAL SCHOOL..... 137**

**OLD ARC-EN-CIEL SCHOOL ..... 145**

**UPPER MIRAMICHI ELEMENTARY SCHOOL..... 152**

# Assiniboine Avenue Elementary School

Date: March 30, 2021

## CARBON DIOXIDE MONITORING AT ASSINIBOINE AVENUE ELEMENTARY SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Assiniboine Avenue Elementary School in Oromocto on March 23, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-5 and attached Figures 1-4. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 206  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
March 23, 2021 8:53 am - 2:38 pm	891	705	988

**Table 2:  
Room 217  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
March 23, 2021 8:49 am - 2:34 pm	921	670	1505

**Table 3:  
Room 139  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
March 23, 2021 8:45 am - 2:30 pm	796	633	963


**Table 4:**  
**Room 123A**  
**Q trak ID - 7576X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
March 23, 2021 8:40 am - 2:25 pm	556	532	600

**Table 5:**  
**Outdoor CO<sub>2</sub> Levels**


Date	CO <sub>2</sub>
March 23, 2021	424

Assiniboine Avenue Elementary School  
Room 206




**Figure 1: Assiniboine Avenue Elementary School, Room 206  
March 23, 2021**

Assiniboine Avenue Elementary School  
Room 217




**Figure 2: Assiniboine Avenue Elementary School, Room 217  
March 23, 2021**

Assiniboine Avenue Elementary School  
Room 139



**Figure 3: Assiniboine Avenue Elementary School, Room 139  
March 23, 2021**

Assiniboine Avenue Elementary School  
Room 123A



**Figure 4: Assiniboine Avenue Elementary School, Room 123A  
March 23, 2021**



# Bath Community School

Date: April 27, 2021

## CARBON DIOXIDE MONITORING AT BATH COMMUNITY SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Bath Community School on April 23, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-5 and attached Figures 1-4. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:**  
**Sarah Sadler-Mean's Classroom**  
**Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 23, 2021 7:52 am – 2:37 pm	1031	704	1628

**Table 2:**  
**Room 6**  
**Q trak ID - 7575X1228012**

Time	School Day		
	Average	Lowest Point	Highest Point
April 23, 2021 7:58 am – 2:43 pm	1104	546	1651

**Table 3:**  
**Sarah Pickard's Classroom**  
**Q trak ID - 7575X1541013**

Time	School Day		
	Average	Lowest Point	Highest Point
April 23, 2021 8:02 am – 2:47 pm	1103	665	1478


**Table 4:  
Room 12  
Q trak ID - 7575X1546005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 23, 2021 8:05 am – 2:50 pm	1388	840	1720

**Table 5:  
Outdoor CO<sub>2</sub> Levels**


Date	CO <sub>2</sub>
April 23, 2021	445

Bath Community School  
Sarah Sadler-Mean's Classroom




**Figure 1: Bath Community School, Sarah Sadler-Mean's Classroom  
April 23, 2021**

Bath Community School  
Room 6




**Figure 2: Bath Community School, Room 6  
April 23, 2021**

Bath Community School  
Sarah Pickard's Classroom



**Figure 3: Bath Community School, Sarah Pickard's Classroom  
April 23, 2021**

Bath Community School  
Room 12



**Figure 4: Bath Community School, Room 12  
April 23, 2021**

# Bristol Elementary School

Date: April 19, 2021

## CARBON DIOXIDE MONITORING AT BRISTOL ELEMENTARY SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Bristol Elementary School on April 15, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-3 and attached Figures 1-2. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Elementary 4  
Q trak ID - 7565X1047028**

Time	School Day		
	Average	Lowest Point	Highest Point
April 15, 2021 8:21 am – 3:21 pm	754	472	1198

**Table 2:  
Mrs. A. Welch's Classroom  
Q trak ID - 7575X1228012**

Time	School Day		
	Average	Lowest Point	Highest Point
April 15, 2021 8:26 am – 3:26 pm	631	443	854

**Table 3:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 15, 2021	439

Bristol Elementary School  
Elementary 4




Figure 1: Bristol Elementary School, Elementary 4  
April 15, 2021



Bristol Elementary School  
Mrs. A. Welch's Classroom




Figure 2: Bristol Elementary School, Mrs. A. Welch's Classroom  
April 15, 2021

# Burton Elementary School

Date: April 21, 2021

## CARBON DIOXIDE MONITORING AT BURTON ELEMENTARY SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Burton Elementary School on April 20, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-3 and attached Figures 1-2. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:**  
**Room 11 Grade 1**  
**Q trak ID - 7565X1047028**

Time	School Day		
	Average	Lowest Point	Highest Point
April 20, 2021 8:37 am – 2:07 pm	1709	1136	2186

**Table 2:**  
**Grade 2**  
**Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 20, 2021 8:40 am – 2:10 pm	1373	736	1878

**Table 3:**  
**Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 20, 2021	410

Burton Elementary School  
Room 11 Grade 1





Figure 1: Burton Elementary School, Room 11 Grade 1  
April 20, 2021

Burton Elementary School  
Grade 2



**Figure 2: Burton Elementary School, Grade 2  
April 20, 2021**

# Chipman Elementary School

Date: April 14, 2021

## CARBON DIOXIDE MONITORING AT CHIPMAN ELEMENTARY SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Chipman Elementary School on April 7, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plan). The results can be seen in Tables 1-6 and attached Figures 1-5. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 11  
Q trak ID - 7565X1047028**

Time	School Day		
	Average	Lowest Point	Highest Point
April 7, 2021 9:28 am – 2:58 pm	947	663	1091

**Table 2:  
Room 13  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 7, 2021 9:31 am - 3:01 pm	1056	870	1359

**Table 3:  
Room 1  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
April 7, 2021 9:35 am - 3:05 pm	829	587	1427

**Table 4:  
Room 5  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 7, 2021 9:39 am - 3:09 pm	1847	1446	2477


**Table 5:  
Gym  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 7, 2021 9:39 am - 3:09 pm	609	411	947

**Table 6:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 7, 2021	429

Chipman Elementary School  
Room 11



**Figure 1: Chipman Elementary School, Room 11  
April 7, 2021**

Chipman Elementary School  
Room 13





Figure 2: Chipman Elementary School, Room 13  
April 7, 2021



Chipman Elementary School  
Room 1



**Figure 3: Chipman Elementary School, Room 1  
April 7, 2021**

Chipman Elementary School  
Room 5




Figure 4: Chipman Elementary School, Room 5  
April 7, 2021

Chipman Elementary School  
Gym




Figure 5: Chipman Elementary School, Gym  
April 7, 2021

# Connaught Street School

Date: April 20, 2021

## CARBON DIOXIDE MONITORING AT CONNAUGHT STREET SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Connaught Street School in Fredericton on April 16, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plan). The results can be seen in Tables 1-4 and attached Figures 1-3. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 10  
Q trak ID - 7575X1228012**

Time	School Day		
	Average	Lowest Point	Highest Point
April 16, 2021 7:40 am - 3:10 pm	1244	501	1590

**Table 2:  
Room 16  
Q trak ID - 7575X1541013**

Time	School Day		
	Average	Lowest Point	Highest Point
April 16, 2021 7:47am - 3:02 pm	687	514	779

**Table 3:  
Room 4  
Q trak ID - 7575X1546005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 16, 2021 7:50 am - 3:05 pm	1650	497	2447

**Table 4:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 16, 2021	437

Connaught Street School  
Room 10






Figure 1: Connaught Street School, Room 10  
April 16, 2021

Connaught Street School  
Room 16



**Figure 2: Connaught Street School, Room 16  
April 16, 2021**

Connaught Street School  
Room 4



**Figure 3: Connaught Street School, Room 4  
April 16, 2021**

# Donal Fraser Memorial School

Date: April 19, 2021

## CARBON DIOXIDE MONITORING AT DONALD FRASER MEMORIAL SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Donald Fraser Memorial School in Plaster Rock on April 13, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-6 and attached Figures 1-5. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Cafeteria  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 13, 2021 8:30 am – 3:00 pm	909	528	1547

**Table 2:  
Room 218  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
April 13, 2021 8:36 am – 3:06 pm	953	525	1336

**Table 3:  
Room 207  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 13, 2021 8:41 am – 2:56 pm	1249	911	2191



**Table 4:  
Room 306  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 13, 2021 8:42 am – 2:57 pm	907	695	1485

**Table 5:  
Room 318  
Q trak ID - 7565X1047028**

Time	School Day		
	Average	Lowest Point	Highest Point
April 13, 2021 9:51 am – 2:51 pm	781	412	1993

**Table 6:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 13, 2021	427

Donald Fraser Memorial School  
Cafeteria





Figure 1: Donald Fraser Memorial School, Cafeteria  
April 13, 2021

Donald Fraser Memorial School  
Room 218



**Figure 2: Donald Fraser Memorial School, Room 218  
April 13, 2021**

Donald Fraser Memorial School  
Room 207




Figure 3: Donald Fraser Memorial School, Room 207  
April 13, 2021

Donald Fraser Memorial School  
Room 306





Figure 4: Donald Fraser Memorial School, Room 306  
April 13, 2021

Donald Fraser Memorial School  
Room 318



**Figure 5: Donald Fraser Memorial School, Room 318  
April 13, 2021**

# Florenceville Elementary School

Date: April 20, 2021

## CARBON DIOXIDE MONITORING AT FLORENCEVILLE ELEMENTARY SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Florenceville Elementary School on April 15, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plan). The results can be seen in Tables 1-5 and attached Figures 1-4. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Teena Bishop's Classroom  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
April 15, 2021 7:48 am – 2:48 pm	1260	517	1697

**Table 2:  
Laurea Shaw's Classroom  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 15, 2021 7:54 am – 2:54 pm	1626	531	2171

**Table 3:  
Charlotte Dufort's Classroom  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 15, 2021 7:58 am – 2:58 pm	826	640	1069

**Table 4:  
Marjorie Hewson's Classroom  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 15, 2021 7:58 am – 2:58 pm	1431	584	2352

**Table 5:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 15, 2021	448



Florenceville Elementary School  
Teena Bishop's Classroom




Figure 1: Florenceville Elementary School, Teena Bishop's Classroom  
April 15, 2021

Florenceville Elementary School  
Laurea Shaw's Classroom




Figure 2: Florenceville Elementary School, Laurea Shaw's Classroom  
April 15, 2021

Florenceville Elementary School  
Charlotte Dufort's Classroom




Figure 3: Florenceville Elementary School, Charlotte Dufort's Classroom  
April 15, 2021

Florenceville Elementary School  
Marjorie Hewson's Classroom




Figure 4: Florenceville Elementary School, Marjorie Hewson's Classroom  
April 15, 2021

# Florenceville Middle School

Date: March 24, 2021

## CARBON DIOXIDE MONITORING AT FLORENCEVILLE MIDDLE SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Florenceville Middle School (8794 Main St, Florenceville-Bristol) from March 16, 2021-March 18, 2021. These results can be seen in Tables 1-12 and attached Figures 1-12. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 212  
Q trak ID - 7575X1610001**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 16, 2021 8:32 am - March 17, 2021 8:02 am	750	451	1769			
March 16, 2021 8:47 am - 3:37 pm				1127	722	1769

**Table 2:  
Top of Lockers Outside Room 212  
Q trak ID - 7575X1610005**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 16, 2021 8:37 am - March 17, 2021 8:07 am	684	455	1167			
March 16, 2021 8:52 am - 3:37 pm				882	671	1167

**Table 3:  
Room 205  
Q trak ID - 7565X0808002**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 16, 2021 8:44 am - March 17, 2021 7:58 am	793	452	2022			
March 16, 2021 8:59 am - 3:28 pm				1284	658	2022

**Table 4:  
Room 202  
Q trak ID - 7576X0808002**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 17, 2021 8:05 am - March 18, 2021 7:49 am	742	423	1660			
March 17, 2021 8:20 am - 3:35 pm				1234	639	1660

**Table 5:  
Hallway Outside Room 204  
Q trak ID - 7575X1610005**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 17, 2021 8:12 am - March 18, 2021 7:57 am	778	551	1221			
March 17, 2021 8:27 am - 3:27 pm				993	765	1221

**Table 6:  
Gym  
Q trak ID - 7575X1610001**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 17, 2021 8:19 am - March 18, 2021 8:04 am	672	463	1037			
March 17, 2021 8:34 am - 3:34 pm				864	490	1037

**Table 7:  
Room 102 - Main Office  
Q trak ID - 7575X1610003**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 17, 2021 8:25 am - March 18, 2021 8:10 am	581	422	962			
March 17, 2021 8:40 am - 3:25 pm				705	504	962

**Table 8:  
Room 217  
Q trak ID - 7565X1047028**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 18, 2021 8:05 am - March 19, 2021 8:20 am	741	424	2377			
March 18, 2021 8:35 am - 3:35 pm				1298	671	2377

**Table 9:  
Room 116  
Q trak ID - 7575X1610001**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 18, 2021 8:09 am - March 19, 2021 8:09 am	635	426	1297			
March 18, 2021 8:24 am - 3:39 pm				766	516	1297

**Table 10:  
Room 110  
Q trak ID - 7565X0808002**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 18, 2021 8:13 am - March 19, 2021 8:13 am	536	411	1004			
March 18, 2021 8:28 am - 3:28 pm				708	453	1004

**Table 11:  
Hallway Outside Room 110  
Q trak ID - 7575X1610005**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 18, 2021 8:19 am - March 19, 2021 8:19 am	700	533	1072			
March 18, 2021 8:34 am - 3:34 pm				824	585	1072

**Table 12:  
Outside Room 102 - Main Office  
Q trak ID - 7575X1610003**

Time	24 hr Datalog			School Day		
	Average	Lowest Point	Highest Point	Average	Lowest Point	Highest Point
March 18, 2021 8:25 am - March 19, 2021 8:10 am	577	416	860			
March 18, 2021 8:40 am - 3:25 pm				710	520	860

**Table 13:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
March 16, 2021	421
March 17, 2021	459
March 18, 2021	434
March 19, 2021	414



Florenceville Middle School  
Room 212





Figure 1: Florenceville Middle School, Room 212  
March 16, 2021

Florenceville Middle School  
Top of Lockers Outside Room 212



**Figure 2: Florenceville Middle School, Top of Lockers Outside Room 212  
March 16, 2021**

Florenceville Middle School  
Room 205




Figure 3: Florenceville Middle School, Room 205  
March 16, 2021

Florenceville Middle School  
Room 202






Figure 4: Florenceville Middle School, Room 202  
March 17, 2021

Florenceville Middle School  
Hallway Outside Room 204



**Figure 5: Florenceville Middle School, Hallway Outside Room 204  
March 17, 2021**

Florenceville Middle School  
Gym



**Figure 6: Florenceville Middle School, Gym  
March 17, 2021**

Florenceville Middle School  
Room 102-Main Office





Figure 7: Florenceville Middle School, Room 102 - Main Office  
March 17, 2021


Florenceville Middle School  
Room 217



**Figure 8: Florenceville Middle School, Room 217  
March 18, 2021**



Florenceville Middle School  
Room 116



**Figure 9: Florenceville Middle School, Room 116  
March 18, 2021**

Florenceville Middle School  
Room 110





Figure 10: Florenceville Middle School, Room 110  
March 18, 2021

Florenceville Middle School  
Hallway Outside Room 110



**Figure 11: Florenceville Middle School, Hallway Outside Room 110  
March 18, 2021**

Florenceville Middle School  
Outside Room 102-Main Office




Figure 12: Florenceville Middle School, Outside Room 102 - Main Office  
March 18, 2021

# Forest Hill Elementary School

Date: April 1, 2021

## CARBON DIOXIDE MONITORING AT FOREST HILL ELEMENTARY SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Forest Hill Elementary School in Fredericton on March 26, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-4 and attached Figures 1-3. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 17  
Q trak ID - 7575X1228012**

Time	School Day		
	Average	Lowest Point	Highest Point
March 26, 2021 8:02 am - 2:32 pm	1406	742	1927

**Table 2:  
Room 7  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
March 26, 2021 7:56 am - 2:26 pm	1184	542	1509


**Table 3:  
Room 16  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
March 26, 2021 8:01 am - 2:31 pm	955	570	1265

**Table 4:  
Outdoor CO<sub>2</sub> Levels**


Date	CO <sub>2</sub>
March 26, 2021	479

Forest Hill Elementary School  
Room 17




**Figure 1: Forest Hill Elementary School, Room 17  
March 26, 2021**

Forest Hill Elementary School  
Room 7



**Figure 2: Forest Hill Elementary School, Room 7  
March 26, 2021**

Forest Hill Elementary School  
Room 16



**Figure 3: Forest Hill Elementary School, Room 16  
March 26, 2021**



# Gagetown School

Date: April 7, 2021

## CARBON DIOXIDE MONITORING AT GAGETOWN SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Gagetown School in Gagetown on March 31, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-3 and attached Figures 1-2. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 23  
Q trak ID - 7575X1228012**

Time	School Day		
	Average	Lowest Point	Highest Point
March 31, 2021 8:58 am - 2:13 pm	1396	870	1805


**Table 2:  
Room 4  
Q trak ID - 7565X1047028**

Time	School Day		
	Average	Lowest Point	Highest Point
March 31, 2021 9:01 am - 2:46 pm	691	590	858

**Table 3:  
Outdoor CO<sub>2</sub> Levels**


Date	CO <sub>2</sub>
March 31, 2021	423

Gagetown School  
Room 23



**Figure 1: Gagetown School, Room 23  
March 31, 2021**

Gagetown School  
Room 4



**Figure 2: Gagetown School, Room 4  
March 31, 2021**

# Garden Creek School

Date: April 14, 2021

## CARBON DIOXIDE MONITORING AT GARDEN CREEK SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Garden Creek School in Fredericton on April 6, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-5 and attached Figures 1-4. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 2F  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
April 6, 2021 8:07 am - 3:06 pm	809	489	1221

**Table 2:  
Room 2A  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 6, 2021 8:09 am - 3:09 pm	1181	676	1421

**Table 3:  
Room KM  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 6, 2021 8:15 am - 3:15 pm	1436	1070	1641

**Table 4:  
Room 5M – Library  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 6, 2021 8:17 am - 3:17 pm	670	575	824

**Table 5:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 6, 2021	437

Garden Creek School  
Room 2F




Figure 1: Garden Creek School, Room 2F  
April 6, 2021

Garden Creek School  
Room 2A





Figure 2: Garden Creek School, Room 2A  
April 6, 2021

Garden Creek School  
Room KM



**Figure 3: Garden Creek School, Room KM  
April 6, 2021**



Garden Creek School  
Room 5M-Library




Figure 4: Garden Creek School, Room 5M – Library  
April 6, 2021

# George Street Middle School

Date: April 21, 2021

## CARBON DIOXIDE MONITORING AT GEORGE STREET MIDDLE SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at George Street Middle School in Fredericton on April 19, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-8 and attached Figures 1-7. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 314  
Q trak ID - 7565X1047028**

Time	School Day		
	Average	Lowest Point	Highest Point
April 19, 2021 7:44 am – 4:14 pm	1390	430	2108

**Table 2:  
Room 304  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
April 19, 2021 7:49 am – 4:19 pm	1141	452	2126

**Table 3:  
Room 110  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 19, 2021 7:58 am – 4:13 pm	1087	482	1550

**Table 4:  
Room A11  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 19, 2021 8:04 am – 4:04 pm	2350	562	4406

**Table 5:  
Room A22  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 19, 2021 8:08 am – 4:08 pm	1378	466	2526

**Table 6:  
Room A34  
Q trak ID - 7575X1541013**

Time	School Day		
	Average	Lowest Point	Highest Point
April 19, 2021 8:14 am – 4:14 pm	1265	562	2096


**Table 7:  
Library  
Q trak ID - 7575X1546005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 19, 2021 8:21 am – 4:06 pm	1229	446	2212

**Table 8:  
Outdoor CO<sub>2</sub> Levels**


Date	CO <sub>2</sub>
April 19, 2021	431

George Street Middle School  
Room 314




**Figure 1: George Street Middle School, Room 314  
April 19, 2021**

George Street Middle School  
Room 304




**Figure 2: George Street Middle School, Room 304  
April 19, 2021**

George Street Middle School  
Room 110



**Figure 3: George Street Middle School, Room 110  
April 19, 2021**

George Street Middle School  
Room A11



**Figure 4: George Street Middle School, Room A11  
April 19, 2021**

George Street Middle School  
Room A22





Figure 5: George Street Middle School, Room A22  
April 19, 2021



George Street Middle School  
Room A34



**Figure 6: George Street Middle School, Room A34  
April 19, 2021**

George Street Middle School  
Library




Figure 7: George Street Middle School, Library  
April 19, 2021

# Gesner Street Elementary School

Date: March 30, 2021

## **CARBON DIOXIDE MONITORING AT GESNER STREET ELEMENTARY SCHOOL**

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Gesner Street Elementary School in Oromocto on March 24, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-5 and attached Figures 1-4. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 213  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
March 24, 2021 8:52 am - 2:37 pm	851	675	1029

**Table 2:  
Room 208  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
March 24, 2021 8:55 am - 2:25 pm	1063	921	1232

**Table 3:  
Room 124  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
March 24, 2021 8:44 am - 2:29 pm	721	550	911


**Table 4:  
Room 130  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
March 24, 2021 8:47 am - 2:32 pm	766	609	902

**Table 5:  
Outdoor CO<sub>2</sub> Levels**


Date	CO <sub>2</sub>
March 24, 2021	441

Gesner Street Elementary School  
Room 213




**Figure 1: Gesner Street Elementary School, Room 213  
March 24, 2021**

Gesner Street Elementary School  
Room 208




**Figure 2: Gesner Street Elementary School, Room 208  
March 24, 2021**

Gesner Street Elementary School  
Room 124



**Figure 3: Gesner Street Elementary School, Room 124  
March 24, 2021**

Gesner Street Elementary School  
Room 130



**Figure 4: Gesner Street Elementary School, Room 130  
March 24, 2021**



# Harold Peterson Middle School

Date: April 28, 2021

## CARBON DIOXIDE MONITORING AT HAROLD PETERSON MIDDLE SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Harold Peterson Middle School in Oromocto on April 21, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). A second visit was carried out on April 26, 2021 to data log carbon dioxide levels in room 214. The results can be seen in Tables 1-8 and attached Figures 1-7. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 16  
Q trak ID - 7565X1047028**

Time	School Day		
	Average	Lowest Point	Highest Point
April 21, 2021 8:28 am – 3:58 pm	706	419	1741

**Table 2:  
Room 210  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 21, 2021 8:38 am – 4:08 pm	1072	541	1716

**Table 3:  
Room 111  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 21, 2021 8:38 am – 4:08 pm	1140	526	1687

**Table 4:  
Gym  
Q trak ID - 7575X1546005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 21, 2021 8:43 am – 4:13 pm	910	499	1194

**Table 5:  
Room 7  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
April 21, 2021 8:46 am – 4:01 pm	1112	520	2227

**Table 6:  
Room 1  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 21, 2021 8:48 am – 3:48 pm	1109	588	1621


**Table 7:  
Room 214  
Q trak ID - 7575X1541013**

Time	School Day		
	Average	Lowest Point	Highest Point
April 26, 2021 8:23 am – 3:23 pm	1153	508	1485

**Table 8:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 21, 2021	472
April 26, 2021	449

Harold Peterson Middle School  
Room 16



**Figure 1: Harold Peterson Middle School, Room 16  
April 21, 2021**

Harold Peterson Middle School  
Room 210




Figure 2: Harold Peterson Middle School, Room 210  
April 21, 2021

Harold Peterson Middle School  
Room 111





Figure 3: Harold Peterson Middle School, Room 111  
April 21, 2021

Harold Peterson Middle School  
Gym



**Figure 4: Harold Peterson Middle School, Gym  
April 21, 2021**

Harold Peterson Middle School  
Room 7




Figure 5: Harold Peterson Middle School, Room 7  
April 21, 2021

Harold Peterson Middle School  
Room 1




Figure 6: Harold Peterson Middle School, Room 1  
April 21, 2021



Harold Peterson Middle School  
Room 214




Figure 7: Harold Peterson Middle School, Room 214  
April 26, 2021

# Harvey Elementary School

Date: March 31, 2021

## CARBON DIOXIDE MONITORING AT HARVEY ELEMENTARY SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Harvey Elementary School in Harvey on March 29, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-5 and attached Figures 1-4. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 6  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
March 29, 2021 7:53 am - 2:53 pm	1235	531	1715

**Table 2:  
Room 3  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
March 29, 2021 7:56 am - 2:56 pm	1193	572	1548

**Table 3:  
Room 10  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
March 29, 2021 8:00 am - 3:00 pm	1351	757	1903


**Table 4:**  
**Room 7**  
**Q trak ID - 7576X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
March 29, 2021 8:02 am - 3:02 pm	1254	614	1500

**Table 5:**  
**Outdoor CO<sub>2</sub> Levels**


Date	CO <sub>2</sub>
March 29, 2021	459

Harvey Elementary School  
Room 6




**Figure 1: Harvey Elementary School, Room 6  
March 29, 2021**

Harvey Elementary School  
Room 3




**Figure 2: Harvey Elementary School, Room 3  
March 29, 2021**

Harvey Elementary School  
Room 10



**Figure 3: Harvey Elementary School, Room 10  
March 29, 2021**

Harvey Elementary School  
Room 7



**Figure 4: Harvey Elementary School, Room 7  
March 29, 2021**

# Keswick Ridge School

Date: April 19, 2021

## CARBON DIOXIDE MONITORING AT KESWICK RIDGE SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Keswick Ridge School in Keswick Ridge on April 12, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-6 and attached Figures 1-5. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 1  
Q trak ID - 7565X1047028**

Time	School Day		
	Average	Lowest Point	Highest Point
April 12, 2021 7:48 am – 2:18 pm	973	476	1349

**Table 2:  
Room 6  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
April 12, 2021 7:51 am - 2:21 pm	1233	525	1502

**Table 3:  
Room 22  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 12, 2021 7:55 am - 2:25 pm	1227	604	1555



**Table 4:  
Room 18  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 12, 2021 7:57 am - 2:27 pm	1268	655	1887


**Table 5:  
Portable Classroom C  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 12, 2021 8:02 am - 2:32 pm	572	449	697

**Table 6:  
Outdoor CO<sub>2</sub> Levels**


Date	CO <sub>2</sub>
April 12, 2021	439

Keswick Ridge School  
Room 1




**Figure 1: Keswick Ridge School, Room 1  
April 12, 2021**

Keswick Ridge School  
Room 6



**Figure 2: Keswick Ridge School, Room 6  
April 12, 2021**

Keswick Ridge School  
Room 22



**Figure 3: Keswick Ridge School, Room 22  
April 12, 2021**

Keswick Ridge School  
Room 18




Figure 4: Keswick Ridge School, Room 18  
April 12, 2021

Keswick Ridge School  
Portable Classroom C




Figure 5: Keswick Ridge School, Portable Classroom C  
April 12, 2021

# Kingsclear Consolidated School

Date: April 1, 2021

## CARBON DIOXIDE MONITORING AT KINGSCLEAR CONSOLIDATED SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Kingsclear Consolidated School in Fredericton on March 25, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-6 and attached Figures 1-5. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 4  
Q trak ID - 7565X1047028**

Time	School Day		
	Average	Lowest Point	Highest Point
March 25, 2021 8:16 am - 2:46 pm	533	455	710

**Table 2:  
Room 5  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
March 25, 2021 8:01 am - 2:31 pm	854	673	1114

**Table 3:  
Room 2  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
March 25, 2021 8:08 am - 2:38 pm	985	700	1443

**Table 4:  
Room 3  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
March 25, 2021 8:12 am - 2:42 pm	667	538	742

**Table 5:  
Room 7  
Q trak ID - 7576X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
March 25, 2021 8:21 am - 2:51 pm	699	506	1105

**Table 6:  
Outdoor CO<sub>2</sub> Levels**


Date	CO <sub>2</sub>
March 25, 2021	421

Comments:

When returning at the end of the day to collect the air quality monitors, there was a window open in room 5.




Kingsclear Consolidated School  
Room 4




**Figure 1: Kingsclear Consolidated School, Room 4  
March 25, 2021**

Kingsclear Consolidated School  
Room 5




**Figure 2: Kingsclear Consolidated School, Room 5  
March 25, 2021**

Kingsclear Consolidated School  
Room 2




**Figure 3: Kingsclear Consolidated School, Room 2  
March 25, 2021**

Kingsclear Consolidated School  
Room 3



**Figure 4: Kingsclear Consolidated School, Room 3  
March 25, 2021**

Kingsclear Consolidated School  
Room 7



**Figure 5: Kingsclear Consolidated School, Room 7  
March 25, 2021**

# McAdam Avenue School

Date: April 1, 2021

## CARBON DIOXIDE MONITORING AT MCADAM AVENUE SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at McAdam Avenue School in Fredericton on March 30, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-4 and attached Figures 1-3. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 11  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
March 30, 2021 8:01 am - 3:01 pm	1335	613	1982

**Table 2:  
Room 6  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
March 30, 2021 8:07 am - 3:07 pm	1178	775	1420

**Table 3:  
Gym  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
March 30, 2021 8:11 am - 3:11 pm	732	494	870

**Table 4:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
March 30, 2021	440

McAdam Avenue School  
Room 11





Figure 1: McAdam Avenue School, Room 11  
March 30, 2021


McAdam Avenue School  
Room 6



**Figure 2: McAdam Avenue School, Room 6  
March 30, 2021**



McAdam Avenue School  
Gym



**Figure 3: McAdam Avenue School, Gym  
March 30, 2021**

# Montgomery Street School

Date: April 7, 2021

## CARBON DIOXIDE MONITORING AT MONTGOMERY STREET SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Montgomery Street School in Fredericton on April 1, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plan). The results can be seen in Tables 1-4 and attached Figures 1-3. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 10  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 1, 2021 7:45 am - 3:00 pm	1240	577	1613

**Table 2:  
Room 2  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 1, 2021 7:50 am - 3:05 pm	1396	700	1781


**Table 3:  
Mr. Lawson-Portable Classroom  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 1, 2021 7:51 am - 3:06 pm	1378	491	1628

**Table 4:  
Outdoor CO<sub>2</sub> Levels**


Date	CO <sub>2</sub>
April 1, 2021	447

Montgomery Street School  
Room 10




**Figure 1: Montgomery Street School, Room 10  
April 1, 2021**

Montgomery Street School  
Room 2



**Figure 2: Montgomery Street School, Room 2  
April 1, 2021**

Montgomery Street School  
Mr. Lawson-Portable Classroom



**Figure 3: Montgomery Street School, Mr. Lawson-Portable Classroom  
April 1, 2021**

# Nackawic Senior High School

Date: April 27, 2021

## CARBON DIOXIDE MONITORING AT NACKAWIC SENIOR HIGH SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Nackawic Senior High School on April 22, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-9 and attached Figures 1-8. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 104  
Q trak ID - 7575X1228012**

Time	School Day		
	Average	Lowest Point	Highest Point
April 22, 2021 7:53 am – 3:23 pm	900	506	1460

**Table 2:  
Room 107  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 22, 2021 7:55 am – 3:25 pm	908	522	1218

**Table 3:  
Room 205  
Q trak ID - 7575X1541013**

Time	School Day		
	Average	Lowest Point	Highest Point
April 22, 2021 8:01 am – 3:16 pm	885	534	1133

**Table 4:  
Room 201  
Q trak ID - 7575X1546005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 22, 2021 8:04 am – 3:19 pm	1074	592	1646

**Table 5:  
Men's Change Room  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 22, 2021 8:19 am – 3:34 pm	568	544	607

**Table 6:  
Library  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
April 22, 2021 8:22 am – 3:22 pm	452	419	527

**Table 7:  
Room 113  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 22, 2021 8:24 am – 3:24 pm	568	498	683

**Table 8:  
Room 209  
Q trak ID - 7565X1047028**


Time	School Day		
	Average	Lowest Point	Highest Point
April 22, 2021 8:26 am – 3:26 pm	1059	557	1395

**Table 9:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 22, 2021	457



Nackawic Senior High School  
Room 104



**Figure 1: Nackawic Senior High School, Room 104  
April 22, 2021**

Nackawic Senior High School  
Room 107






Figure 2: Nackawic Senior High School, Room 107  
April 22, 2021

Nackawic Senior High School  
Room 205




**Figure 3: Nackawic Senior High School, Room 205  
April 22, 2021**

Nackawic Senior High School  
Room 201




**Figure 4: Nackawic Senior High School, Room 201  
April 22, 2021**

Nackawic Senior High School  
Mens Change Room




**Figure 5: Nackawic Senior High School, Men's Change Room  
April 22, 2021**

Nackawic Senior High School  
Library




**Figure 6: Nackawic Senior High School, Library  
April 22, 2021**

Nackawic Senior High School  
Room 113



**Figure 7: Nackawic Senior High School, Room 113  
April 22, 2021**

Nackawic Senior High School  
Room 209



**Figure 8: Nackawic Senior High School, Room 209  
April 22, 2021**



# Nashwaaksis Memorial School

Date: April 14, 2021

## CARBON DIOXIDE MONITORING AT NASHWAAKSIS MEMORIAL SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Nashwaaksis Memorial School in Fredericton on April 9, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-7 and attached Figures 1-6. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 5  
Q trak ID - 7575X1228012**

Time	School Day		
	Average	Lowest Point	Highest Point
April 9, 2021 7:52 am – 3:22 pm	1174	552	1546

**Table 2:  
Room 2  
Q trak ID - 7565X1047028**

Time	School Day		
	Average	Lowest Point	Highest Point
April 9, 2021 7:56 am - 3:26 pm	1136	505	1625

**Table 3:  
Room 13  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
April 9, 2021 8:00 am - 3:30 pm	1316	509	1934

**Table 4:  
Room 10  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 9, 2021 8:04 am - 3:34 pm	973	565	1183

**Table 5:  
Room 19  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 9, 2021 8:09 am - 3:39 pm	1087	678	1561

**Table 6:  
Gym  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 9, 2021 8:12 am - 3:42 pm	777	493	1092

**Table 7:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 9, 2021	441

Nashwaaksis Memorial  
Room 5




Figure 1: Nashwaaksis Memorial School, Room 5  
April 9, 2021

Nashwaaksis Memorial  
Room 2






Figure 2: Nashwaaksis Memorial School, Room 2  
April 9, 2021

Nashwaaksis Memorial  
Room 13



**Figure 3: Nashwaaksis Memorial School, Room 13  
April 9, 2021**

Nashwaaksis Memorial  
Room 10



**Figure 4: Nashwaaksis Memorial School, Room 10  
April 9, 2021**

Nashwaaksis Memorial  
Room 19





Figure 5: Nashwaaksis Memorial School, Room 19  
April 9, 2021

Nashwaaksis Memorial  
Gym



**Figure 5: Nashwaaksis Memorial School, Gym  
April 9, 2021**



# Old Arc-en-ciel School

Date: April 14, 2021

## CARBON DIOXIDE MONITORING AT OLD ARC-EN-CIEL SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Old Arc-en-ciel School in Oromocto on April 8, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plans). The results can be seen in Tables 1-6 and attached Figures 1-5. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 125  
Q trak ID - 7575X1228012**

Time	School Day		
	Average	Lowest Point	Highest Point
April 8, 2021 8:37 am – 3:07 pm	837	691	1036

**Table 2:  
Room 119  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
April 8, 2021 8:40 am - 3:10 pm	1333	734	1890

**Table 3:  
Room 212  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 8, 2021 8:45 am - 3:15 pm	1500	1152	1743

**Table 4:  
Room 220  
Q trak ID - 7565X0808002**

Time	School Day		
	Average	Lowest Point	Highest Point
April 8, 2021 8:48 am - 3:18 pm	962	778	1144

**Table 5:  
Gym  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 8, 2021 8:53 am - 3:23 pm	673	537	823

**Table 6:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 8, 2021	437

Old Arc-en-ciel School  
Room 125




Figure 1: Old Arc-en-ciel School, Room 125  
April 8, 2021

Old Arc-en-ciel School  
Room 119




Figure 2: Old Arc-en-ciel School, Room 119  
April 8, 2021

Old Arc-en-ciel School  
Room 212




Figure 3: Old Arc-en-ciel School, Room 212  
April 8, 2021

Old Arc-en-ciel School  
Room 220




Figure 4: Old Arc-en-ciel School, Room 220  
April 8, 2021

Old Arc-en-ciel School  
Gym




Figure 5: Old Arc-en-ciel School, Gym  
April 8, 2021

# Upper Miramichi Elementary School

Date: April 26, 2021

## CARBON DIOXIDE MONITORING AT UPPER MIRAMICHI ELEMENTARY SCHOOL

TSI Q-Trak IAQ monitors were used to data log carbon dioxide (CO<sub>2</sub>) at Upper Miramichi Elementary School on April 20, 2021. The IAQ monitors were placed in several locations within the school as directed by school district personnel (see attached floor plan). The results can be seen in Tables 1-5 and attached Figures 1-4. CO<sub>2</sub> values are reported in parts per million (ppm).

**Table 1:  
Room 12  
Q trak ID - 7575X1610003**

Time	School Day		
	Average	Lowest Point	Highest Point
April 20, 2021 8:10 am – 2:25 pm	1217	667	2050

**Table 2:  
Room 9  
Q trak ID - 7575X1610001**

Time	School Day		
	Average	Lowest Point	Highest Point
April 20, 2021 8:11 am – 2:26 pm	969	585	1575

**Table 3:  
Room 15  
Q trak ID - 7575X1610005**

Time	School Day		
	Average	Lowest Point	Highest Point
April 20, 2021 8:18 am – 2:18 pm	901	670	1361




**Table 4:  
Room 18  
Q trak ID - 7575X1541013**

Time	School Day		
	Average	Lowest Point	Highest Point
April 20, 2021 8:20 am – 2:20 pm	664	511	945

**Table 5:  
Outdoor CO<sub>2</sub> Levels**

Date	CO <sub>2</sub>
April 20, 2021	481

Upper Miramichi Elementary School  
Room 12



**Figure 1: Upper Miramichi Elementary School, Room 12  
April 20, 2021**

Upper Miramichi Elementary School  
Room 9





Figure 2: Upper Miramichi Elementary School, Room 9  
April 20, 2021

Upper Miramichi Elementary School  
Room 15



**Figure 3: Upper Miramichi Elementary School, Room 15  
April 20, 2021**

Upper Miramichi Elementary School  
Room 18




Figure 4: Upper Miramichi Elementary School, Room 18  
April 20, 2021